

CHAPCO SAFE-SET 4 825712PM

SAFETY DATA SHEET

REVISION DATE: 04-13-2015 SUPERSEDES: 02-19-2015

SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER

PRODUCT INFORMATION

PRODUCT:

CHAPCO SAFE-SET 4

PRODUCT DESCRIPTION:

Mastic

INTENDED USE:

Adhesive

PRODUCT IDENTIFIER:

825712PM

COMPANY INFORMATION

H.B. Fuller Construction Products Inc.

1105 S. Frontenac Street Aurora, IL 60504 Phone: 1-800-552-6225

> Medical Emergency Phone Number (24 Hours): 1-888-853-1758 Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification:

This product is not classified as hazardous under GHS criteria.

GHS Precautions:

First Aid Measures:

IF SWALLOWED: Do not induce vomiting. Seek medical attention if symptoms develop. IF IN EYES: Use an eye wash to remove chemical from the eye. IF ON SKIN: Wash with soap and water. IF INHALED: Remove individual to fresh air after an airborne exposure if any symptoms develop.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	PERCENT	Classification	Note
Butyl acrylate/vinyl benzene polymer	25767-47-9	10 - 30	Eye Irrit. 2; H319	

^{*}This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur.

Unlisted ingredients are not 'hazardous' per the Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200) and/or are not found on the Canadian Workplace Hazardous Materials Information System ingredient disclosure list. See Section 8 for exposure limit guidelines.

SECTION 4: FIRST AID MEASURES

IF IN EYES: Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

IF ON SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

IF INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

SECTION 5: FIRE FIGHTING MEASURES



CHAPCO SAFE-SET 4 825712PM

SAFETY DATA SHEET

EXTINGUISHING MEDIA:

Use water spray, foam, dry chemical or carbon dioxide.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

There is a possibility of pressure buildup in closed containers

SPECIAL FIRE FIGHTING INSTRUCTIONS:

when heated. Water spray may be used to cool the containers. Persons exposed to products of combustion should wear self-

contained breathing apparatus and full protective equipment.

HAZARDOUS COMBUSTION PRODUCTS:

Carbon dioxide, Carbon monoxide Nitrogen containing gases

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION:

No adverse health effects expected from the clean-up of spilled material.

Follow personal protective equipment recommendations found in

Section 8 of this MSDS.

METHODS FOR CLEAN-UP:

Dike if necessary, contain spill with inert absorbent and transfer to containers for disposal. Keep spilled product out of sewers, watersheds,

or water systems.

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

SECTION 7: HANDLING AND STORAGE

Handling:

No special handling instructions due to toxicity.

Storage:

Store in a cool, dry place. Protect from freezing

Consult the Technical Data Sheet for specific storage instructions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	Note	ACGIH EXPOSURE LIMITS	OSHA PEL
Kaolin clay	* (see below)	2 mg/m3 TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction)	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

^{*}This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur.

ENGINEERING CONTROL METHODS:

VENTILATION:

Use local exhaust ventilation or other engineering controls to

minimize exposures.

EYE PROTECTION:

Wear safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Have an eye wash

station available.

SKIN PROTECTION:

Not normally required. Wear chemically resistant gloves to prevent

prolonged or repeated contact.

GLOVES:

Not normally required. Use nitrile gloves if conditions warrant.

RESPIRATORY PROTECTION:

Respiratory protection may be required to avoid overexposure when handling this product. Use a respirator if general room ventilation is

not available or sufficient to eliminate symptoms.

Respirators should be selected by and used following requirements

found in OSHA's respirator standard (29 CFR 1910.134).



CHAPCO SAFE-SET 4 825712PM

SAFETY DATA SHEET

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:

COLOR:

ODOR:

ODOR THRESHOLD:

FREEZING/MELTING POINT (deg. C):

BOILING POINT (deg. C):

FLASH POINT: **EVAPORATION RATE:**

FLAMMABILITY:

UPPER EXPLOSIVE LIMIT (% in air): LOWER EXPLOSIVE LIMIT (% in air):

VAPOR PRESSURE (mm Hg):

VAPOR DENSITY:

WEIGHT PER GALLON (lbs.): SPECIFIC GRAVITY:

SOLUBILITY:

OCTANOL/WATER COEFFICIENT: **AUTOIGNITION TEMPERATURE:**

DECOMPOSITION TEMPERATURE:

VISCOSITY:

VOC, weight percent

VOC, U.S. EPA Method 24, less water and exempt

solvents (theoretically determined)

Semi-solid

Tan

Odorless

Not established

9.0

Not established

Not established

Non flammable

Not established

Not a flammable solid or gas

Not established

Not established

Not established

Not established 10.90

1.300

Not established

Not established

Not established

Not established

No data available.

0.37

10g/liter of material

SECTION 10: STABILITY AND REACTIVITY

STABILITY:

Stable under normal conditions.

CHEMICAL INCOMPATIBILITY:

Not established

HAZARDOUS POLYMERIZATION:

Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide Nitrogen

containing gases

SECTION 11: TOXICOLOGICAL INFORMATION

Component Toxicity / Toxicology Data:

ı	COMPONENT NAME	LD50/LC50
	Diethyleneglycol dibenzoate	ORAL LD50 RAT 2,830 MG/KG

This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation: Can cause minor skin irritation, defatting, and dermatitis.

Serious eye damage / irritation :Can cause moderate irritation, tearing and reddening.

Respiratory / skin sensitization: No data available.

Germ cell mutagenicity: No data available.

Carcinogenicity: No data available.

Reproductive toxicity: No data available.

Specific target organ toxicity-single exposure: No data available. Respiratory irritation / Narcotic effects: No data available.



CHAPCO SAFE-SET 4 825712PM

SAFETY DATA SHEET

Specific target organ toxicity-repeated exposure: No data available.

Target organs potentially affected by exposure: Lungs

Aspiration hazard: No data available.

Medical Conditions Aggravated by Exposure; Lung disease

SECTION 12: ECOLOGICAL INFORMATION

OVERVIEW:

No ecological information available for this product.

MOBILITY:

No data available. No data available.

PERSISTENCE: **BIOACCUMULATION:**

No data available.

This product has not been tested for ecological effects. Relevant information for components is listed below:

Component:	Ecotoxicity values:
	Acute Toxicity (Fish): 96 Hr LC50 Poecilia reticulata: 16200 - 18300 mg/L Acute Toxicity (Daphnia): 24 Hr EC50 Daphnia magna Straus: >10000 mg/L; 48 Hr EC50 Daphnia magna: 3910 mg/L [Static]
	Acute Toxicity (Algae): Not established

SECTION 13: DISPOSAL CONSIDERATIONS

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.

SECTION 14: TRANSPORT INFORMATION

Consult Bill of Lading for transportation information.

US DOT: IATA:

NOT REGULATED **NOT REGULATED**

SECTION 15: REGULATORY INFORMATION

INVENTORY STATUS

U.S. EPA TSCA:

This product is in compliance with the Toxic Substances Control Act's

Inventory requirements.

CANADIAN CEPA DSL:

The components of this product are included on the DSL or are exempt

from DSL requirements.

EUROPEAN REACH:

As a result of the introduction of REACH into Europe, this product

cannot be imported into Europe unless the REACH requirements are

AUSTRALIA AICS:

This product is in compliance with the Australian Inventory of

KOREAN TCCL:

Chemical Substances requirements. This product is in compliance with the Korean Existing Chemicals List

requirements.

PHILIPPINES:

This product is in compliance with the Philippine Inventory of

Chemicals and Chemical Substances requirements.

If you need more information about the inventory status of this product call 651-236-5858.

This product may contain chemical substances that are regulated for export by various government agencies (such as the Environmental Protection Agency, the Bureau of Industry and Security, or the Drug Enforcement



CHAPCO SAFE-SET 4 825712PM

SAFETY DATA SHEET

Administration, among others). Before exporting this product from the USA or Canada, we recommend you contact us at reg.request@hbfuller.com to request an export review.

FEDERAL REPORTING

EPA SARA Title III Section 313

Unless listed below, this product does not contain toxic chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR part 372. EPA has advised that when a percentage range is listed the midpoint may be used to fulfill reporting obligations.

Chamical Name				
Chemical Name CAS# %	Chemical Name	CAS#	%	

STATE REPORTING

Proposition 65, The Safe Drinking Water and Toxic Enforcement Act of 1986:

Unless listed below, this product does not contain known levels of any chemical known to the State of California to

cause cancer or reproductive harm.

Chemical Name/List		CAS	Percent
Quartz	(Carcinogen)	14808-60-7	0.01 - 0.1
Ethyl acrylate	(Carcinogen)	140-88-5	0.001 - 0.01
Dibromoacetonitrile	(Carcinogen)	3252-43-5	10.0 - 100.0
Acrylamide	(Carcinogen)	79-06-1	< 10 ppm
1,4-Dioxane	(Carcinogen)	123-91-1	< 10 ppm
C.I. Direct blue 15	(Carcinogen)	2429-74-5	< 10 ppm
Acrylonitrile	(Carcinogen)	107-13-1	< 10 ppm
Acrylamide	(Developmental toxin)	79-06-1	< 10 ppm
Acrylamide	(Male reproductive toxin)	79-06-1	< 10 ppm

Substances of Very High Concern (SVHC) Content:

Unless listed below, this product does not contain SVHC's.

4-Nonylphenol, ethoxylated

SECTION 16: OTHER INFORMATION

SDS VERSION DATE:

04-13-2015

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

HMIS RATING: HEALTH -- 0 FLAMMABILITY -- 0 REACTIVITY -- 0

See SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for personal protective equipment recommendations.

Prepared by: The Global Regulatory Department

Phone: 651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Construction Products, Inc. from its suppliers, and because H.B. Fuller Construction Products, Inc. has no control over the conditions of handling and use, H.B. Fuller Construction Products, Inc. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Construction Products, Inc. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Construction Products, Inc. products to comply with all applicable federal, state and local laws and regulations.